



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Nobuhisa YODA *et al.*

Title: INFORMATION PROCESS SYSTEM AND
INFORMATION PROCESS METHOD

Appl. No.: Not yet assigned

Filing Date: June 8, 2000

Examiner: Not yet assigned

Art Unit: Not yet assigned

UTILITY PATENT APPLICATION
TRANSMITTAL

Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 C.F.R. § 1.53(b) is the nonprovisional
utility patent application of:

Nobuhisa YODA
Kazuaki KIDOKORO
Tatsuya HARAGUCHI

Enclosed are:

- [X] Specification, Claim(s), and Abstract (36 pages).
- [X] Formal drawings (12 sheets, Figures 1-14B)
- [X] Declaration and Power of Attorney (2 pages)
- [X] Associate Power of Attorney
- [X] Assignment to TOSHIBA TEC KABUSHIKI KAISHA
- [X] Assignment Recordation Form Cover Sheet
- [X] Proprietary Information Disclosure Statement (filed under seal) with
attached Transmittal

- ☒ Claim for Convention Priority.
- ☒ Certified copy of priority document (Japanese Patent Application No. 11-164026, filed June 10, 1999).
- ☒ Preliminary Amendment.

The filing fee is calculated below:


	Claims as Filed	Included in Basic Fee	Extra Claims	Rate	Fee Totals
Basic Fee				\$690.00	\$690.00
Total Claims:	19	- 20	= 0	x \$18.00	= 0.00
Independents:	4	- 3	= 1	x \$78.00	= \$78.00
If any Multiple Dependent Claim(s) present:				+ \$260.00	= 0.00
Assignment Recordation Fee				+ \$40.00	= \$40.00
				SUBTOTAL:	= \$808.00
<input type="checkbox"/>				Small Entity Fees Apply (subtract 1/2 of above):	= \$0.00
				TOTAL FILING FEE:	= \$808.00

- ☒ A check to cover the \$808.00 filing fee is enclosed.
- ☐ The required filing fees are not enclosed but will be submitted in response to the Notice to File Missing Parts of Application.
- ☒ The Assistant Commissioner is hereby authorized to charge any additional fees which may be required regarding this application under 37 C.F.R. §§ 1.16-1.17, or credit any overpayment, to Deposit Account No. 19-0741. Should no proper payment be enclosed herewith, as by a check being in the wrong amount, unsigned, post-dated, otherwise improper or informal or even entirely missing, the Assistant Commissioner is authorized to charge the unpaid amount to Deposit Account No. 19-0741.

Please direct all correspondence to the undersigned attorney at the address indicated below.

Respectfully submitted,

By



Date: June 8, 2000

FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696
Telephone: (202) 672-5300
Facsimile: (202) 672-5399

Johnny A. Kumar
Attorney for Applicant
Registration No. 34,649

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Nobuhisa YODA *et al.*
Title: INFORMATION PROCESS SYSTEM AND
INFORMATION PROCESS METHOD
Appl. No.: Not yet assigned
Filing Date: June 8, 2000
Examiner: Not yet assigned
Art Unit: Not yet assigned

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, D.C. 20231

Sir:

Preliminary to examination, please amend the application as follows:

IN THE CLAIMS:

Please amend the claims as follows:

Claim 8, line 2, delete "or 7".

Claim 10, line 2, delete "or 9".

Claim 17, line 2, delete "or 16".

Claim 19, line 2, delete "or 18".


REMARKS

Applicants respectfully request that the foregoing amendments to Claims 8, 10, 17, and 19 be entered in order to avoid this application incurring a surcharge for the presence of one or more multiple dependent claims.

Respectfully submitted,

Date: June 8, 2000

By



FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696
Telephone: (202) 672-5300
Facsimile: (202) 672-5399

Johnny A. Kumar
Attorney for Applicant
Registration No. 34,649

002.349120

TITLE OF THE INVENTION
INFORMATION PROCESS SYSTEM AND INFORMATION PROCESS
METHOD

CROSS-REFERENCE TO RELATED APPLICATIONS

5 This application is based upon and claims the
benefit of priority from the prior Japanese Patent
Application No. 11-164027, filed June 10, 1999, the
entire contents of which are incorporated herein by
reference.

10 BACKGROUND OF THE INVENTION

 The present invention relates to an information
process system and an information process method for,
for example, a server system for document filing, etc.,
to which a digital scanner such as a digital copying
15 machine, for example, is connected.

 According to some kind of a conventional network
scanner system, a read document image is automatically
registered in a plurality of application systems.

 However, in a network scanner system based on a
20 digital copying machine, etc., there are limitations to
operational environments because importance is placed
on easy operations. For example, there are limitations
to a character input environment such as keyboard, and
to a display environment such as a display device.
25 Document attributes (title information) which can be
set on a document to be registered are limited and
fixed. Owing to such limitations, it is necessary, for

example, to install different software items on individual transfer destination systems, or to temporarily provide all users with the right of access to a read and automatically registered document. There
5 has been a demand to improve these disadvantages in view of the management and handling of office documents.

In such limited operational environments, in order to enhance affinity between the transfer destination application system and the network scanner system and
10 improve the handling of documents by the user, it is important to reflect the operational environment of the transfer destination application system on the operational environment of the network scanner system.

There are the following problems with the above-
15 described prior art.

Since the input means in an input device of a digital copying machine is limited to numeral keys or the like, it is difficult to directly log in to the transfer destination system. Since the direct log-in
20 is not permitted despite the digital copying machine being shared by a great number of non-specified users, the user cannot be specified in the transfer destination system.

Moreover, since users cannot be specified despite
25 the digital copying machine being shared by the users, an input/registered document needs to be temporarily shared by all users and it is difficult to keep privacy

of the read document.

When information on a destination system for document transfer registration is set as a definition of a button, it is difficult to set information dependent on the system. Where a document is transferred to a plurality of systems at a time, registration information management is complex.

In addition, when a document is transferred from a digital copying machine to another system, the digital copying machine has to perform its own time-consuming user management in order to keep correspondence to user management in the transfer destination system.

Where a document image scanned by the digital copying machine is directly stored in databases of transfer destination systems and an exclusive user for the digital copying machine is set and the document is automatically registered on a plurality of databases on the network under the authority of the user, the right of access to each database by the user needs to be set. There is a problem of security if the right of access to all databases is set by the user ID which is, in fact, shared by a great number of non-specified users.

As regards operation buttons on a conventional digital copying machine, metadata obtainable at the time of operations is limited, for example, to operation time, read setting value, etc. It is difficult to use such data in a title to be prepared

when the document image is registered on the database.
Furthermore, the means for associating such information
items as attributes of the document registered in the
transfer destination system is poor and difficult to
5 handle.

BRIEF SUMMARY OF THE INVENTION

The object of the present invention is to provide
an information process system and an information
process method capable of easily processing information
10 such as a document in an environment in which a shared
input/output device is used in a network to which a
digital scanner such as a digital copying machine is
connected.

In order to achieve this object, according to an
15 aspect of the present invention, there is provided an
information process system in which an image forming
apparatus having display input means capable of
displaying various operation buttons and effecting
input is connected to a communication line and
20 information is processed with a server connected to the
communication line,

wherein the server has formation means for forming
operation button information which sets a function to
be performed by the image forming apparatus and is to
25 be displayed on the display input means, and

the image forming apparatus comprises:

registration means for registering the operation

button information which sets the function to be performed by the image forming apparatus and has been formed by the formation means; and

control means for executing a control to display
5 an operation button on the display input means, on the basis of the operation button information which sets the function to be performed by the image forming apparatus and has been registered by the registration means.

10 According to another aspect of the invention, there is provided an information process system in which an image forming apparatus having display input means capable of displaying various operation buttons and effecting input is connected to a communication
15 line and information is processed with a server connected to the communication line,

wherein the server has formation means for forming operation button information which sets a function to be performed by the image forming apparatus and is to
20 be displayed on the display input means, and information for verifying a right of use of an operation button represented by the operation button information and

the image forming apparatus comprises:

25 registration means for registering the operation button information which sets the function to be performed by the image forming apparatus and has been

formed by the formation means, and the information for verifying the right of use of the operation button, which has been formed by the formation means;

control means for executing a control to display the operation button on the display input means, on the basis of the operation button information which sets the function to be performed by the image forming apparatus and has been registered by the registration means;

verification means for verifying the presence/absence of the right of use by using the information for verifying the right of use of the operation button, which has been registered by the registration means, when input has been effected through the operation button displayed on the display input means by the control means; and

execution means for executing a desired function set by the operation button through which input has been effected, when the presence of the right of use has been verified by the verification means.

According to still another aspect of the invention, there is provided an information process method in which an image forming apparatus having display input means capable of displaying various operation buttons and effecting input is connected to a communication line and information is processed with a server connected to the communication line,

wherein the server forms operation button information which sets a function to be performed by the image forming apparatus and is to be displayed on the display input means, and

5 the image forming apparatus registers the operation button information which sets the function to be performed by the image forming apparatus and has been formed by the server, and executes a control to display an operation button on the display input means,
10 on the basis of the registered operation button information which sets the function.

 According to still another aspect of the invention, there is provided an information process method in which an image forming apparatus having display input
15 means capable of displaying various operation buttons and effecting input is connected to a communication line and information is processed with a server connected to the communication line,

 wherein the server forms operation button
20 information which sets a function to be performed by the image forming apparatus and is to be displayed on the display input means, and information for verifying a right of use of an operation button represented by the operation button information and

25 the image forming apparatus registers the operation button information which sets the function to be performed by the image forming apparatus and has

been formed by the server, and the information for verifying the right of use of the operation button, which has been formed by the server; executes a control to display the operation button on the display input means, on the basis of the registered operation button information which sets the function; verifies the presence/absence of the right of use by using the registered information for verifying the right of use of the operation button, when input has been effected through the operation button displayed on the display input means by the control means; and executes a desired function set by the operation button when the presence of the right of use has been verified.

Additional objects and advantages of the invention will be set forth in the description which follows, and in part will be obvious from the description, or may be learned by practice of the invention. The objects and advantages of the invention may be realized and obtained by means of the instrumentalities and combinations particularly pointed out hereinafter.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate presently preferred embodiments of the invention, and together with the general description given above and the detailed description of the preferred embodiments given below, serve to explain the

principles of the invention.

FIG. 1 is a block diagram showing a schematic structure of an information process system according to the present invention;

5 FIG. 2 shows a system module structure according a first embodiment of the present invention;

FIG. 3 shows an example of display on an operation panel;

10 FIG. 4 shows an example of the structure of an operation button management database;

FIG. 5 shows an example of the structure of a transfer relay database;

FIG. 6 shows an example of the structure of the transfer relay database;

15 FIG. 7 shows an example of the structure of an accounting weekly report database;

FIG. 8 shows a relationship between operation buttons on a network scanner and transfer profiles in each application station;

20 FIGS. 9A and 9B show examples of a field map of a transfer profile;

FIG. 10 is a flow chart for describing an operation for preparing an operation button;

25 FIGS. 11A and 11B are flow charts for describing an operation at a time of document scan;

FIG. 12 shows a system module structure in a case of a multi-destination-associated system;

FIG. 13 shows a system module structure in a case of a multi-destination-associated system; and

FIGS. 14A and 14B are flow charts for describing an operation for preparing an operation button.

5 DETAILED DESCRIPTION OF THE INVENTION

An embodiment of the present invention will now be described with reference to the accompanying drawings.

FIG. 1 is a block diagram showing a schematic structure of an information process system according to the present invention.

10 A client personal computer (PC) 10a, a digital copying machine 11a having an operation panel 1a, a document filing server 12a, an e-mail server 13a, and a group-ware server 14a are connected by a hub (HUB) 15a.

15 A client personal computer (PC) 10b, a digital copying machine 11b having an operation panel 1b, a document filing server 12b, an e-mail server 13b, and a group-ware server 14b are connected by a hub (HUB) 15b. The hub 15a and hub 15b are connected by an intranet 17.

20 The operation panel 1a, 1b incorporates a touch panel and it is operated through various buttons displayed on a liquid-crystal display.

The client PC 10a, 10b is used by a user. The client PC 10a, 10b displays a document (document image) or an e-mail.

The digital copying machine 11a, 11b is used to copy paper documents. In addition, it prints out a

digital document image on paper media. The digital copying machine 11a, 11b is also used as a scanner for inputting paper media documents.

5 The document filing server 12a, 12b manages documents.

The e-mail server 13a, 13b manages transmission/reception of e-mails.

10 The group-ware server 14a, 14b provides an electronic bulletin board or a schedule management environment.

FIG. 2 shows a system module structure according to a first embodiment of the present invention.

On the digital scanner side, the following components are provided: a document image 200 input by the digital copying machine 11a, 11b serving as a digital scanner; an operation button management section 201, provided in each digital copying machine 11a, 11b, for performing a display control of operation buttons displayed on the operation panel 1a, 1b of the digital copying machine 11a, 11b; an operation button management database (DB) 202, provided in each digital copying machine 11a, 11b, for managing display on the operation panel 1a, 1b; and a scan image transfer process module 203 for transferring the document image 200 to a transfer relay database 204 of a registration destination system, when the operator has depressed the buttons on the operation panel 1a, 1b and has input the

25

document image 200.

The registration destination system is, for example, the client PC 10a, 10b, the document filing server 12a, 12b, the e-mail server 13a, 13b, or the group-ware server 14a, 14b.

On the registration destination system side, there is provided a transfer destination system document transfer process section 205 for periodically confirming the transfer relay database 204 as to whether a document image is stored by the scan image transfer process module 203, and taking out the stored document image from the transfer relay database 204 and registering it on the database which is designated as a registration destination. Examples of the transfer destination database, on which the document image taken out of the transfer relay database 204 is to be registered, are an e-mail database 206, an accounting weekly report database 207 and a technical information database 208. The transfer destination system document transfer process section 205 refers to a transfer profile database 209 in which transfer specifications are defined, with respect to documents stored in the transfer relay database 204, and searches for the document image to be transferred as well as the designated transfer profile data. On the basis of the transfer profile data, the document is registered to some other database.

Prior to forming operation buttons which are displayed on the operation panel 1a, 1b of the digital copying machine 11a, 11b serving as the digital scanner according to the present invention, the user or
5 application system manager prepares a transfer profile using a transfer profile setting section 210. The prepared transfer profile is stored in the transfer profile database 209. The transfer profile contains field map information to be described later, which
10 defines how a read attribute of the document image and an operation button attribute are mapped in a document management system of the application system.

When the user forms operation buttons to be displayed on the operation panel 1a, 1b, he/she makes
15 use of an operation button function setting section 211. In this case, a display location of an operation button, an icon used for display, a character sequence and a scanner read attribute are set, and a transfer profile identifier for transfer to the transfer destination
20 application system is stored. The information in the transfer profile setting section 210 on the registration destination system and the information in the operation button function setting section 211 on the digital scanner side can be referred to by simple
25 operations by means of, for example, a Web link (e.g. an anchor of HTML).

FIG. 3 shows an example of display of operation

buttons displayed on the operation panel 1a, 1b according to the present invention. In FIG. 3, the operation panel 1a, 1b displays a weekly registration "KATO" button 31, a technical information button 32, a start button 33, a reset button 35, and a guide display 34. The guide display 34, in this example, shows a message "DESIGNATE PROCESS AND PUSH START BUTTON."

In the displayed example, where a document image is to be scanned, the user first sets a document on the digital copying machine 11a or 11b, pushes the button 31 or 32, and depresses the start button 33. Then, the digital copying machine 11a, 11b scans the document image. The scanned document image is subjected to a process assigned to the selected button.

FIG. 4 shows an example of the structure of a database registered on the operation button management database 202.

In the display example in FIG. 4, a screen NO. #1 and a button No. #1 are selected and displayed. In the case of the screen NO. #1 and button No. #1, the transfer destination system is "FILING A," the title is "WEEKLY REPORT REGISTRATION KATO," the scanning is at "200DPI," the attribute is "BLACK-AND-WHITE," the user is "Alice," the profile is "1001," and the password is "1234."

A description will now be given of the data which is transferred from the scan image transfer process

module 203 to the transfer relay database 204 in FIG. 2, when the buttons shown in FIG. 3 have been depressed and the start button 33 pushed.

FIG. 5 shows an example of the structure of the transfer relay database 204. Where the relay document No. is #1, the profile ID is "1001," the scan date/time is "1999-05-15 @ 10:15," and the used screen No. #/button No. are "1/1."

FIG. 6 shows another example of the structure of the transfer relay database 204. Where the relay document No. is #1, the profile ID is "1001," the scan date/time is "1999-05-15 @ 10:15," and the used screen No. #/button No. are "1/1." In addition, the user name is "Alice," and the image ID is "1."

Subsequently, the data in the transfer relay database 204 is transferred by the transfer destination system document transfer process section 205 to the e-mail database 206, accounting weekly report database 207 or technical information database 208.

FIG. 7 shows an example of the structure of the accounting weekly report database 207. Where the document No. is #1, the date of preparation is "1999-05-15 @ 10:15," the registrant is "Alice," the title is "(CONFIDENTIAL) WEEKLY REPORT REGISTRATION KATO," and the text is "ATTACHED IMAGE."

FIG. 8 shows a relationship between operation buttons on the network scanner and transfer profiles in

each application station. Assume that the digital copying machine 11a is a network scanner 1, the digital copying machine 11b is a network scanner 2, an application system A is the group-ware server 14a, and an application system B is the group-ware server 14b. For example, where the screen No. on the network scanner 1 is "1," the button No. 1 corresponds to the transfer profile 1 of the application system A and the button No. 2 corresponds to the transfer profile 2 of the application system B.

A description will now be given of the transfer profile setting section 210 used by the transfer destination system document transfer process section 205 in FIG. 2.

FIGS. 9A and 9B show examples of a field map of a transfer profile set in the transfer profile setting section 210. The settings in FIG. 9A are as follows: the profile ID = 1001, the transfer destination database (DB) = the accounting weekly report database, the field map: the date of preparation = %DATE%, the registrant = %USER%, the text = %DOCUMENT IMAGE%, the title = (CONFIDENTIAL) %BUTTON NAME%%DATE%, the document registration file format: PASTE, the mail notice: YES foo@bar.co.jp.

The settings in FIG. 9B are as follows: the profile ID = 1002, the transfer destination database (DB) = the technical information database, the

field map: the date of preparation = %DATE%, the
registrant = %USER%, the technical level = HIGH, the
category = % BUTTON NAME%, the text = %DOCUMENT IMAGE%,
the title = (IMPORTANT TECHNIQUE) %BUTTON NAME%%USER%,
5 the document registration file format: FILE ATTACHED,
the mail notice: NO.

The use of an user ID in the transfer destination
system will now be described.

10 In the present embodiment, one user ID is required
for the digital scanner. In the prior art, it is
difficult to issue a user ID for a shared device, where
it is desired that security management is strictly
maintained by issuing a user ID to an individual alone.
In many cases, the sharing of a user ID among plural
15 persons is prohibited. In the present embodiment, the
user ID is used only for the scan input operation, and
only one database can be accessed by the user ID. Only
a predetermined database can be accessed.

20 To begin with, a transfer process pattern is set
in the transfer destination system. At this time, the
user who forms an operation button is required to have
a right of access to the database which is designated
as a transfer destination.

25 The process/operation at the time of scanning a
document will now be described.

When a document image scanned by the digital
copying machine 11a, 11b is to be temporarily stored in

the transfer relay database 204, the data assigned to the device is used. The transfer destination system document transfer process section 205 moves, under the server authority, the document image temporarily stored in the transfer relay database 204. In order to detect storage of a new document image in the transfer relay database 204, the transfer destination system document transfer process section 205 performs polling at regular time intervals.

In an applied example, a server agent process request may be issued so that the scan image transfer process module 203 may activate, in an "on-demand" manner, the transfer destination system document transfer process section 205 immediately after the document image is stored in the transfer relay database 204.

An operation for forming the operation button to be displayed on the operation panel 1a, 1b on the digital copying machine 11a, 11b with the above-described structure will now be described with reference to a flow chart of FIG. 10.

To start with, the user activates the transfer profile setting tool in the transfer destination system (S100) and selects new preparation of a transfer profile (S101).

The user prepares a registration destination database, a title and field map information with

respect to the transfer profile (S102). Thereby, the right of access to the database by the user is confirmed. Only where the database is accessible, the transfer profile is registered in the transfer profile setting section 210 (S103). Where the database is not
5 accessible, the process is finished due to an error.

Then, the user activates the operation button function setting section 211 of the digital copying machine 11a, 11b (S104), and selects a transfer profile
10 name applied to the operation button (S105). Further, the user sets the user name as registrant, the format of attachment of the document image, and the image format at the time of document registration (S106), and inputs a display icon of the operation button and a
15 button name (S107). The operation button is registered in the operation button management database 202 via the operation button management section 201, and the operation of the operation button function setting section 211 is finished (S108).

20 An operation at the time of document scan will now be described with reference to flow charts of FIGS. 11A and 11B.

The user sets a document 200 to be read on the digital copying machine 11a or 11b (S110) and
25 designates the screen No. (S111). Assume that the screen 1 has been designated.

The operation button management section 201 of the

digital copying machine 11a, 11b reads out attribute information on the screen 1 from the operation button management DB 202, and displays the operation button on the operation panel 1a, 1b (S112).

5 The user depresses and designates the technical information button 32 of the operation buttons (S113), and inputs the password relating to this operation button. Only where there is no problem with the verification of the password, the process is continued
10 (S114). Otherwise, a process such as "VERIFICATION ERROR DISPLAY," "RE-INPUT," or "CANCEL" is carried out.

Where the process is continued, the start button 33 is depressed (S115). The operation button management section 201 reads out an attribute of the
15 registration-designated button from the operation button management DB 202 and delivers it to the scan image transfer process module 203 (S116).

The scan image transfer process module 203 reads the document image and delivers it to the transfer
20 relay database 204 of the transfer destination system document along with the profile ID (S117). At this time, the data is delivered under the module operation exclusive user authority.

The transfer destination system document transfer
25 process section 205 monitors the state of the transfer relay database 204, and specifies the temporarily stored new document image and profile ID. Based on the

document transfer profile ID received along with the
image, the transfer destination system document
transfer process section 205 searches the transfer
profile database 209 of the transfer destination system
5 document and specifies the content of the transfer
process of the document image (S118).

The transfer destination system document transfer
process section 205 registers, under the server
authority, the document image in the transfer
10 destination document storage database designated by the
operation button in advance, for example, in the
accounting weekly report database 207 (S119).

The transfer destination system document transfer
process section 205 sets the possessor of the register
15 document to be the user designated by the button
attribute (S120).

A multi-destination-associated system will now be
described.

FIG. 12 shows a system module structure in a case
20 of a multi-destination-associated system.

On the digital scanner side, like the structure
shown in FIG. 2, the following components are provided:
a document image 200 input by the digital copying
machine 11a, 11b serving as a digital scanner; an
25 operation button management section 201, provided in
each digital copying machine 11a, 11b, for performing a
display control of operation buttons displayed on the

operation panel 1a, 1b of the digital copying machine 11a, 11b; an operation button management database (DB) 202, provided in each digital copying machine 11a, 11b, for managing display on the operation panel 1a, 1b; and a scan image transfer process module 203 for transferring the document image 200 to a transfer relay database 204 of a registration destination system, when the operator has depressed the buttons on the operation panel 1a, 1b and has input the document image 200.

10 Compared to the structure shown in FIG. 2, where the number of transfer destinations is increased, the document image, profile ID and image scan process attribute are transferred from the scan image transfer process module 203 to associated system domains A, B and C.

15 Although not shown, the associated system domain A includes a transfer relay database 204A, a transfer destination system document transfer process section 205A, an e-mail database 206A, an accounting weekly report database 207A, a technical information database 208A, a transfer profile database 209A, and a transfer profile setting section 210A.

The associated system domain B, though not shown, similarly includes components 204B to 210B.

25 Similarly, the associated system domain C, though not shown, includes components 204C to 210C.

FIG. 13 shows a system module structure as an

applied example of the multi-destination-associated system. This system comprises a document image 20, an operation button management section 22, an operation button management database (DB) 21, a scan input image transfer process module 23, and associated system domains A, B and C. The associated system domains A, B and C have the same structures as shown in FIG. 12, and so a description thereof is omitted, with like reference numerals being attached.

In FIG. 13, when a transfer profile is prepared in advance, a user name list for permitting use of the profile is stored along with the profile. When an operation button is formed, one of user names on the user name list is selected. When a document is to be registered, the scan input image transfer process module 23 stores the document image along with the user name in the transfer relay database 204. Using the user name as the registrant, the transfer destination system document transfer process section 205A, 205B, 205C provides the user with a right to edit the registered document. Thereby, even if the user does not directly log in to the application system when the network scanner is used, the specified user (registrant) can be given the right to edit the document.

A process for forming the operation button in the above-described structure will now be described with

reference to flow charts of FIGS. 14A and 14B.

To start with, the user (or manager) logs in to the transfer destination application (S200), activates the transfer profile setting section 210 (S201), and
5 selects new profile preparation (S202).

The user then sets attributes of the profile (S203). For example, the user designates the access right, database name, and document storage destination, and sets each field map, available user name, screen
10 No., an optional function such as mail notice.

It is determined whether there is a right of access to the registration destination (S204). Where there is no access right, the process is stopped.

Where there is the access right in step S204, the
15 user saves the transfer profile (S205).

The user connects to the operation button function setting section 211 of the digital copying machine 11a, 11b serving as the network scanner by means of the link button (S206). The operation button function setting
20 section 211 displays a list of buttons associated with the designated screen No. (S207).

The user selects new preparation of the operation button (S208), and sets attributes of the operation button (S209). For example, the user selects the
25 transfer profile to be used, and sets the display attribute of the button, image read setting, and button password. The user selects saving of the operation

button (S210).

The operation button function setting section 211 requests the operation button management section 201 to save the button attribute data (S211). At this time,
5 the transfer profile No. is also delivered as the button attribute.

The operation button management section 201 sets the operation button in the operation button management DB 202 (S212).

10 As has been described above, according to the embodiment of the present invention, where the document image read by the digital scanner is transmitted and transferred to a plurality of application systems, the transfer registration profile is prepared within the
15 transfer destination system and the profile number can be assigned to the operation button of the digital scanner (the transfer registration profile contains a mapping table of the document image attributes of the document image read by depressing the image read button
20 on the digital scanner and the document attribute information necessary for managing the document image in the transfer destination system).

At the time of scan, the document image and the associated profile number are temporarily stored in the
25 transfer relay database of the transfer destination system under the scanner exclusive user authority. Thus, the scanner exclusive user can access the

transfer relay database alone in the transfer destination system. If the image is temporarily stored in the relay database, the second program which is run by the server authority detects the storage of the image and refers to the content of the associated profile. According to the content, the transfer process is completed under the server authority.

The right to edit the document can be given to the person who prepared the profile (the user name is not assigned to the button. Whoever inputs the document, the person who prepared the profile assigned to the button used at that time is given the right to edit the document.)

Further, the transfer registration profile stores the user list for restricting the use of the profile. Where the operation button of the digital copying machine and the profile are assigned, one of users on the user list is selected, and the user ID is delivered along with the document image which is to be input/transferred and registered. Thus, at the time of the transfer and registration, the user is given the right to edit the document (only the person who input the document can edit the document).

When the transfer registration profile is prepared in the transfer destination system, the right of access to the transfer registration destination database by the person who is to prepare the profile is confirmed.

Only where he/she has the right of access, the preparation of the profile is permitted.

When the transfer registration profile is prepared in the transfer destination system, the operation button to which the profile can be assigned is designated. When the function is assigned to the operation button of the digital scanner, only the profile which is available by the button is associated and also the password is assigned to the button.

When the transfer registration profile is prepared in the transfer destination system, the operation panel screen to which the profile can be assigned is designated. When the function is assigned to the operation button of the digital scanner, only the profile which is available on the screen including the button is associated. In addition, the password is assigned to the screen.

Additional advantages and modifications will readily occur to those skilled in the art. Therefore, the invention in its broader aspects is not limited to the specific details and representative embodiments shown and described herein. Accordingly, various modifications may be made without departing from the spirit or scope of the general inventive concept as defined by the appended claims and their equivalents.

WHAT IS CLAIMED IS:

1. An information process system in which an
image forming apparatus having display input means
capable of displaying various operation buttons and
5 effecting input is connected to a communication line
and information is processed with a server connected to
the communication line,

wherein the server has formation means for forming
operation button information which sets a function to
10 be performed by the image forming apparatus and is to
be displayed on the display input means, and

the image forming apparatus comprises:

registration means for registering the operation
button information which sets the function to be
15 performed by the image forming apparatus and has been
formed by the formation means; and

control means for executing a control to display
an operation button on the display input means, on the
basis of the operation button information which sets
20 the function to be performed by the image forming
apparatus and has been registered by the registration
means.

2. An information process system according to
claim 1, wherein said display input means is an
25 operation panel incorporating a touch panel and
effecting input by means of various operation buttons
displayed on a liquid crystal display.

3. An information process system according to claim 1, wherein said formation means forms operation button information by activating an operation button function setting section included in the image forming apparatus.

4. An information process system according to claim 1, wherein said registration means is a database for managing the operation button information.

5. An information process system according to claim 1, wherein said control means is an operation button management section.

6. An information process system in which an image forming apparatus having display input means capable of displaying various operation buttons and effecting input is connected to a communication line and information is processed with a server connected to the communication line,

wherein the server has formation means for forming operation button information which sets a function to be performed by the image forming apparatus and is to be displayed on the display input means, and information for verifying a right of use of an operation button represented by the operation button information and

the image forming apparatus comprises:

registration means for registering the operation button information which sets the function to be

performed by the image forming apparatus and has been formed by the formation means, and the information for verifying the right of use of the operation button, which has been formed by the formation means;

5 control means for executing a control to display the operation button on the display input means, on the basis of the operation button information which sets the function to be performed by the image forming apparatus and has been registered by the registration
10 means;

 verification means for verifying the presence/absence of the right of use by using the information for verifying the right of use of the operation button, which has been registered by the
15 registration means, when input has been effected through the operation button displayed on the display input means by the control means; and

 execution means for executing a desired function set by the operation button through which input has
20 been effected, when the presence of the right of use has been verified by the verification means.

7. An information process system according to claim 6, wherein said image forming apparatus has first transfer control means for executing a control to
25 transfer image information read on the basis of pre-registered transfer information.

8. An information process system according to

claim 6 or 7, wherein said server has storage means for temporarily storing image information transferred from the image forming apparatus, and process means for transferring the image information stored in the storage means on the basis of pre-stored transfer process information.

9. An information process system according to claim 6, wherein said image forming apparatus has second transfer control means for executing a control to provide read image information with transfer identification information and transfer the resultant information.

10. An information process system according to claim 6 or 9, wherein said server includes:

first storage means for temporarily storing image information transferred from the image forming apparatus and transfer identification information;

second storage means for storing transfer process information corresponding to the transfer identification information of the image information transferred to the first storage means; and

process means for finding the transfer process information stored in the second storage means by using the transfer identification information stored in the first storage means, and processing transfer of the image information stored in the first storage means on the basis of the found transfer process information.

11. An information process system according to claim 6, wherein said information for verifying the right of use of the operation button, which has been formed by the formation means, is a password.

5 12. An information process system according to claim 6, wherein said verification means determines the presence of the right of use when the password is verified and, when the password has failed to be verified, performs a process of one of "verification error," "re-input," and "cancel."

10

13. An information process system according to claim 6, wherein said execution means is a scan image transfer process module.

14. An information process method in which an
15 image forming apparatus having display input means capable of displaying various operation buttons and effecting input is connected to a communication line and information is processed with a server connected to the communication line,

20 wherein the server forms operation button information which sets a function to be performed by the image forming apparatus and is to be displayed on the display input means, and

the image forming apparatus registers the
25 operation button information which sets the function to be performed by the image forming apparatus and has been formed by the server, and executes a control to

display an operation button on the display input means,
on the basis of the registered operation button
information which sets the function.

15 15. An information process method in which an
image forming apparatus having display input means
capable of displaying various operation buttons and
effecting input is connected to a communication line
and information is processed with a server connected to
the communication line,

10 wherein the server forms operation button
information which sets a function to be performed by
the image forming apparatus and is to be displayed on
the display input means, and information for verifying
a right of use of an operation button represented by
15 the operation button information and

 the image forming apparatus registers the
operation button information which sets the function to
be performed by the image forming apparatus and has
been formed by the server, and the information for
20 verifying the right of use of the operation button,
which has been formed by the server; executes a control
to display the operation button on the display input
means, on the basis of the registered operation button
information which sets the function; verifies the
25 presence/absence of the right of use by using the
registered information for verifying the right of use
of the operation button, when input has been effected

through the operation button displayed on the display input means by the control means; and executes a desired function set by the operation button when the presence of the right of use has been verified.

5 16. An information process method according to claim 15, wherein said image forming apparatus transfers image information read on the basis of pre-registered transfer information.

10 17. An information process method according to claim 15 or 16, wherein said server temporarily stores image information transferred from the image forming apparatus, and transfers the stored image information on the basis of pre-stored transfer process information.

15 18. An information process method according to claim 15, wherein said image forming apparatus provides read image information with transfer identification information and transfers the resultant information.

20 19. An information process method according to claim 15 or 18, wherein said server temporarily stores image information transferred from the image forming apparatus and transfer identification information; stores transfer process information corresponding to the transfer identification information; and finds the
25 stored transfer process information by using the temporarily stored transfer identification information, and processes transfer of the temporarily stored image

information on the basis of the found transfer process
information.

ABSTRACT OF THE DISCLOSURE

A user prepares, in a registration destination system, a registration destination database, a title and field map information with respect to a transfer profile. The right of access to the database by the user is confirmed. Only where the database is accessible, a transfer profile is registered in a transfer profile setting section. Subsequently, an operation button function setting section of a digital scanner is activated, and a transfer profile name applied to an operation button is selected. A user name as a registrant, a format of attachment of a document image, an image format at a time of document registration are set. A display icon of the operation button and a button name are input, and the operation button is registered in an operation button management database via an operation button management section. An operation of the operation button function setting section is thus finished, and the registered operation button is used.




FIG. 1




FIG. 2




FIG. 3

RELAY DOCUMENT #	PROFILE ID	SCAN DATE/TIME	USED SCREEN # /BUTTON #
1	1001	1999-05-15 @ 10:15	1/1
2	3002	1999-05-15 @ 10:16	100/1
3	3001	1999-05-15 @ 10:25	500/1

FIG. 5

SCREEN #	BUTTON #	TRANSFER DESTINATION SYSTEM	TITLE	SCAN ATTRIBUTE	USER	PROFILE ID	PASSWORD
1	1	FILING A	WEEKLY REPORT KATO	200DPI BLACK-AND-WHITE	ALICE	1001	1234
1	2	FILING A	TECHNICAL INFORMATION	200DPI COLOR	BOB	1002	5555
2	1	FILING B	WEEKLY REPORT	600DPI BLACK-AND-WHITE	CATHY	2001	1111
2	2	FILING B	CATALOG INFORMATION	600DPI COLOR	DAVID	2002	(NONE)

FIG. 4

RELAY DOCUMENT #	PROFILE ID	SCAN DATE/TIME	USED SCREEN # /BUTTON #	USER NAME	IMAGE ID
1	1001	1999-05-15 @ 10:15	1/1	ALICE	1
2	1002	1999-05-15 @ 10:16	1/2	BOB	2
3	2001	1999-05-15 @ 10:25	2/2	DAVID	3

FIG. 6

DOCUMENT #	DATE OF PREPARATION	REGISTRANT	TITLE	TEXT
1	1999-5-15 @ 10:15	ALICE	(CONFIDENTIAL) WEEKLY REPORT REGISTRATION KATO	1999-05-15 (ATTACHED IMAGE)

FIG. 7




FIG. 8

PROFILE ID=1001

TRANSFER DESTINATION DB=ACCOUNTING WEEKLY REPORT DATABASE

FIELD MAP:

DATE OF PREPARATION=%DATE%

REGISTRANT=%USER%

TEXT=%DOCUMENT IMAGE%

TITLE=(CONFIDENTIAL)%BUTTON NAME%%DATE%

DOCUMENT REGISTRATION FILE FORMAT:PASTE

MAIL NOTICE: YES foo@bar.co.jp

FIG. 9A

PROFILE ID=1002

TRANSFER DESTINATION DB=TECHNICAL INFORMATION DATABASE

FIELD MAP:

DATE OF PREPARATION=%DATE%

REGISTRANT=%USER%

TECHNICAL LEVEL=HIGH

CATEGORY=%BUTTON NAME%

TEXT=%DOCUMENT IMAGE%

TITLE=(IMPORTANT TECHNIQUE)%BUTTON NAME%%USER%

DOCUMENT REGISTRATION FILE FORMAT:FILE ATTACHED

MAIL NOTICE: NO

FIG. 9B





FIG. 10

[illegible]

FIG. 11B






FIG. 14A




FIG. 14B

DECLARATION FOR PATENT APPLICATION

As a below named inventor, I declare:

that I verily believe myself to be the original, first and sole (if only one individual inventor is listed below) or an original, first and joint inventor (if more than one individual inventor is listed below) of the invention in

INFORMATION PROCESS SYSTEM AND INFORMATION PROCESS
METHOD

the specification of which is attached hereto unless the following box is checked.

☐ was filed on _____ as United States Application
or PCT International Application No. _____, and
was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information of which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365 (b) of any foreign application(s) for patent or inventor's certificate, or 35 U.S.C. 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

<u>Country</u>	<u>Category</u>	<u>Application No.</u>	<u>Filing Date</u>	<u>Priority Claim</u>
Japan	Patent	11-164027	June 10, 1999	Yes

And I hereby appoint Stephen A. Bent (Reg.No. 29,768), David A. Blumenthal (Reg.No. 26,257), William T. Ellis (Reg.No. 26,874), John J. Feldhaus (Reg.No. 28,822), Patricia D. Granados (Reg.No. 33,683), John P. Isacson (Reg.No. 33,715), Eugene M. Lee (Reg.No. 32,039), Richard Linn (Reg.No. 25,144), Peter G. Mack (Reg.No. 26,001), Brian J. McNamara (Reg.No. 32,789), Sybil Meloy (Reg.No. 22,749), George E. Quillin (Reg.No. 32,792), Colin G. Sandercock (Reg.No. 31,298), Bernhard D. Saxe (Reg.No. 28,665), Charles F. Schill (Reg.No. 27590), Richard L. Schwaab (Reg.No. 25,479), Arthur Schwartz (Reg.No. 22,115) and Harold C. Wegner (Reg.No. 25,258), each of whose address is Suite 500, 3000 K Street, N.W. Washington, D.C. 20007-5109, or any one of them, my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent & Trademark Office connected therewith, and request that correspondence be directed to Foley & Lardner, Suite 500, 3000 K Street, N.W. Washington, D.C. 20007-5109.

I declare further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I declare further that my citizenship, residence and post office address are as stated below next to my name:

Inventor: (Signature)

Date _____

Residence and post office address

Date: JUN. - 5. 2000

Date:

1-22-8, Tsunishi, Kamakura-shi,
Kanagawa-ken, Japan

Citizen of: Japan

Nobuhisa Yoda

Date: JUN. - 5. 2000

Date:

Isogo Apart,
5-3, Shiomidai 2-chome, Isogo-ku,
Yokohama-shi, Kanagawa-ken, Japan

Citizen of: Japan

Kazuaki Kidokoro

Date: JUN. - 5. 2000

Date:

1402, View Court Kominato 3 Goto,
1-2, Kominatocho 1-chome, Naka-ku,
Yokohama-shi, Kanagawa-ken, Japan

Citizen of: Japan

Tatsuya Haraguchi

Date:

Citizen of: Japan

Date:

Citizen of: Japan

Date:

Citizen of: Japan

Date:

Citizen of: Japan

Date:

Citizen of: Japan

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Nobuhisa YODA *et al.*
Title: INFORMATION PROCESS SYSTEM AND
INFORMATION PROCESS METHOD
Appl. No.: Not yet assigned
Filing Date: June 8, 2000
Examiner: Not yet assigned
Art Unit: Not yet assigned


ASSOCIATE POWER OF ATTORNEY

Sir:

The undersigned attorney of record hereby grants Johnny A. Kumar, Reg. No. 34,649, an associate power with full powers of substitution and revocation to prosecute the above-identified application and transact all business in the patent and Trademark Office connected therewith.

Respectfully submitted,

6-8-00
Date


John P. Isacson
Reg. No. 33,715

FOLEY & LARDNER
3000 K Street, NW, Suite 500
P.O. Box 25696
Washington, DC 20007-5109
Telephone: (202) 672-5300
Facsimile: (202) 672-5399